

SUPPLEMENTAL EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the issue fee.

The application has been amended as follows:

In Claim 5,

Lines 2-3: after "pump" remove "that can be connected" and insert - - connectable - -; and

Lines 4-5: after "sensor" remove "that can be connected" and insert - - connectable - -.

This amendment corrects an error made by the examiner in the earlier amendment mailed 05/14/2009, in which the incorrect claim was indicated for amendment.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to JASON K. NIESZ whose telephone number is (571)270-3920. The examiner can normally be reached on mon-fri 9-4.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Greg Huson can be reached on (571) 272-4887. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Jason K Niesz
Examiner
Art Unit 3751

/Gregory L. Huson/
Supervisory Patent Examiner, Art Unit 3751